

PROFESSIONAL BUFFETWARE

HYPERLUX®



▸ Chafing Dish

Baby Wave
Baby Wave - Spectra
Lilliput
Hy-Tide
Hy-Tide - Spectra
Water Channel
Basic

▸ Soup Station

▸ Sauce Station

▸ Coffee Urn

▸ Juice Dispenser

▸ Cereal Dispenser

▸ Milk Dispenser

▸ Granite Base Dispenser

▸ Insert & Accessories

The **HYPERLUX PRO** buffetware collection are developed for the professional foodservice industry. With its sleek and attractive look, these chafing dishes stand out for their exquisite design and superb quality. Made from the finest 18/10 stainless steel and polished to high mirror finish, the chafers are to be used for heavy duty day-to-day operation.

Full range of Chafing Dish / Soup Station / Sauce Station / Coffee Urn / Juice Dispenser / Milk Dispenser / Cereal Dispenser are also available to complement this Buffetware Collection.

Like all quality products, the HYPERLUX PRO buffetware collections are NSF listed and are manufactured in accordance with the foodservice standards.

BABY WAVE
OBLONG INDUCTION SERVER

HYPERLUX®



MA649GLT



MA648T

MA647T

MA648GLT


MA647GLT

AA Axle
Allows smooth opening and closing



MA649T

Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert



MA647T / MA648T

MA647GLT / MA648GLT

MA649T

MA649GLT

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA647T	1/2 Oblong Induction w/ S/S Insert	414	323	182	3.8
MA647GLT	1/2 Oblong Induction w/ S/S Insert, Glass Lid	414	323	182	3.8
MA648T	2/3 Oblong Induction w/ S/S Insert	487	396	203	5.6
MA648GLT	2/3 Oblong Induction w/ S/S Insert, Glass Lid	487	396	203	5.6
MA649T	1/1 Oblong Induction w/ S/S Insert	475	554	203	9.0
MA649GLT	1/1 Oblong Induction w/ S/S Insert, Glass Lid	475	554	208	9.0

Optional Item: Cooktop

* All Servers with AA Axle

* Water Pan in 180 S/S

BABY WAVE

ROUND INDUCTION SERVER



Specification

Item	Description	A	B	C (mm)	Cap. (L)
MA643T	Round Induction w/ Ø34cm S/S Insert	431	338	160	2.8
MA643GLT	Round Induction w/ Ø34cm S/S Insert, Glass Lid	431	338	160	2.8
MA644T	Round Induction w/ Ø40cm S/S Insert	484	395	177	3.6
MA644GLT	Round Induction w/ Ø40cm S/S Insert, Glass Lid	484	395	177	3.6
AA645T	Round Induction w/ Ø50cm S/S Insert	585	498	205	9.0
AA645GLT	Round Induction w/ Ø50cm S/S Insert, Glass Lid	585	498	205	9.0

Optional Item: Cooktop
* All Servers with AA Axle * Water Pan in 180 S/S for MA643, MA644 only * Water Pan in 18/10 S/S for AA645

BABY WAVE

WOK INDUCTION SERVER



Specification

Item	Description	A	B	C (mm)	Cap. (L)
AA641T	Wok Induction w/ Ø40cm S/S Insert	484	395	210	3.6
AA641GLT	Wok Induction w/ Ø40cm S/S Insert, Glass Lid	484	395	210	3.6
MA642T	Wok Induction w/ Ø34cm S/S Insert	431	338	175	2.8
MA642GLT	Wok Induction w/ Ø34cm S/S Insert, Glass Lid	431	338	175	2.8

Optional Item: Cooktop
* All Servers with AA Axle * Water Pan in 180 S/S for MA642 * Water Pan in 18/10 S/S for AA641

BABY WAVE

OBLONG CHAFING DISH




AA Axle
Allows smooth opening and closing

Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert



BABY WAVE

OBLONG CHAFING DISH - VISION



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA656T	1/2 Oblong Chafing Dish w/ S/S Insert, Straight Leg	414	323	283	3.8
MA656PT	1/2 Oblong Chafing Dish w/ S/S Insert, Pro Leg	414	323	297	3.8
MA657T	2/3 Oblong Chafing Dish w/ S/S Insert, Straight Leg	487	396	311	5.6
MA657PT	2/3 Oblong Chafing Dish w/ S/S Insert, Pro Leg	487	396	300	5.6
MA658T	1/1 Oblong Chafing Dish w/ S/S Insert, Straight Leg	475	554	311	9.0
MA658PT	1/1 Oblong Chafing Dish w/ S/S Insert, Pro Leg	475	554	300	9.0

Optional Item: Heating Element w/ fixture, Cooktop
* All Chafing Dish with AA Axle * Water Pan in 180 S/S

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA656GLT	1/2 Oblong Chafing Dish w/ S/S Insert, Straight Leg	414	323	283	3.8
MA656GLPT	1/2 Oblong Chafing Dish w/ S/S Insert, Pro Leg	414	323	297	3.8
MA657GLT	2/3 Oblong Chafing Dish w/ S/S Insert, Straight Leg	487	396	311	5.6
MA657GLPT	2/3 Oblong Chafing Dish w/ S/S Insert, Pro Leg	487	396	300	5.6
MA658GLT	1/1 Oblong Chafing Dish w/ S/S Insert, Straight Leg	475	554	316	9.0
MA658GLPT	1/1 Oblong Chafing Dish w/ S/S Insert, Pro Leg	475	554	305	9.0

Optional Item: Heating Element w/ fixture, Cooktop
* All Chafing Dish with AA Axle * Water Pan in 180 S/S

BABY WAVE

ROUND CHAFING DISH



AA Axle
Allows smooth opening and closing

Water Return
Condensation from the lid drip back into the water pan through a collection well in the food insert



MA653PT



BABY WAVE



ROUND CHAFING DISH - VISION



MA653GLPT




MA652GLT




MA652T / MA653T / AA654T



MA652PT / MA653PT / AA654PT



MA652GLT / MA653GLT / AA654GLT



MA652GLPT / MA653GLPT / AA654GLPT

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA652T	Round Chafing Dish w/ Ø34cm S/S Insert, Straight Leg	431	338	272	2.8
MA652PT	Round Chafing Dish w/ Ø34cm S/S Insert, Pro Leg	431	338	272	2.8
MA653T	Round Chafing Dish w/ Ø40cm S/S Insert, Straight Leg	484	395	298	3.6
MA653PT	Round Chafing Dish w/ Ø40cm S/S Insert, Pro Leg	484	395	285	3.6
AA654T	Round Chafing Dish w/ Ø50cm S/S Insert, Straight Leg	585	498	312	9.0
AA654PT	Round Chafing Dish w/ Ø50cm S/S Insert, Pro Leg	585	498	310	9.0

Optional Item: Heating Element w/ fixture, Cooktop
* All Chafing Dish with AA Axle * Water Pan in 180 S/S for MA652, MA653 only * Water Pan in 18/10 S/S for AA654

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA652GLT	Round Chafing Dish w/ Ø34cm S/S Insert, Straight Leg, Glass Lid	431	338	272	2.8
MA652GLPT	Round Chafing Dish w/ Ø34cm S/S Insert, Pro Leg, Glass Lid	431	338	272	2.8
MA653GLT	Round Chafing Dish w/ Ø40cm S/S Insert, Straight Leg, Glass Lid	484	395	298	3.6
MA653GLPT	Round Chafing Dish w/ Ø40cm S/S Insert, Pro Leg, Glass Lid	484	395	285	3.6
AA654GLT	Round Chafing Dish w/ Ø50cm S/S Insert, Straight Leg, Glass Lid	585	498	312	9.0
AA654GLPT	Round Chafing Dish w/ Ø50cm S/S Insert, Pro Leg, Glass Lid	585	498	310	9.0


Optional Item: Heating Element w/ fixture, Cooktop
* All Chafing Dish with AA Axle * Water Pan in 180 S/S for MA652, MA653 only * Water Pan in 18/10 for AA654

BABY WAVE · SPECTRA

ROUND CHAFING DISH - VISION

BABY WAVE · SPECTRA

OBLONG CHAFING DISH - VISION




MA653GLPGA
(GARNET)



MA652GLPBP
(BLACK)



MA652GLPSA
(SAND)



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA652GLPGA / MA652GLPBP / MA652GLPSA	Round Chafing Dish w/ Ø34cm S/S Insert, Pro Leg, Glass Lid	431	338	272	2.8
MA653GLPGA / MA653GLPBP / MA653GLPSA	Round Chafing Dish w/ Ø40cm S/S Insert, Pro Leg, Glass Lid	484	395	298	3.6
AA654GLPGA / AA654GLPBP / AA654GLPSA	Round Chafing Dish w/ Ø50cm S/S Insert, Pro Leg, Glass Lid	585	498	310	9.0

Optional item: Heating Element w/ fixture

* All Chafing Dish with AA Axle * Water Pan in 180 S/S for MA652, MA653 * Water Pan in 18/10 S/S for AA654






MA657GLPGA
(GARNET)



MA656GLPSA
(SAND)



MA658GLPBP
(BLACK)



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
MA656GLPGA / MA656GLPBP / MA656GLPSA	1/2 Oblong Chafing Dish w/ S/S Insert, Pro Leg, Glass Lid	441	323	297	3.8
MA657GLPGA / MA657GLPBP / MA657GLPSA	2/3 Oblong Chafing Dish w/ S/S Insert, Pro Leg, Glass Lid	487	396	300	5.6
MA658GLPGA / MA658GLPBP / MA658 GLPSA	1/1 Oblong Chafing Dish w/ S/S Insert, Pro Leg, Glass Lid	475	554	305	9.0

Optional item: Heating Element w/ fixture

* All Chafing Dish with AA Axle * Water Pan in 180 S/S

LILLIPUT COLLECTION




The Lilliput collection, consisting of smaller-size induction servers and chafing dishes, is ideal to be used in VIP lounges, private and exclusive functions, executive meetings and catered parties for the home. Not only does the compact size of the servers and dishes reduce food wastage, but it also allows for frequent replenishment - resulting in higher food quality.

LILLIPUT CHAFING DISH

- Sleek and elegantly designed with free portability
- Unit includes glass lid, S/S food insert, water pan, PRO leg stand and 1 fuel holder
- Porcelain insert for round and oblong chafing dish available
- 18/10 stainless steel
- High mirror finish
- Fuel heated
- NSF approved

AA Axle
Allows smooth opening and closing for the lid

Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert



Specification

Item	Description	Height	Size (mm)	Cap. (L)
MA695GLP	Round Chafing Dish w/ S/S Insert, Pro Leg, Glass Lid, 28cm	253	ø277 x 320	1.8
MA696GLP	Oblong Chafing Dish (wide) w/ S/S Insert, Pro Leg, Glass Lid	267	275 x 278	1.6
MA697GLP	Oblong Chafing Dish (long) w/ S/S Insert, Pro Leg, Glass Lid	267	225 x 326	1.6

* All Lilliput Chafing Dish with AA Axle
* Water Pan in 180 S/S

LILLIPUT

INDUCTION SERVER

- Sleek and elegantly designed with free portability
- Unit includes glass lid, S/S food insert, water pan
- Porcelain insert for round and oblong chafing dish available
- 18/10 stainless steel
- High mirror finish
- Induction heated
- NSF approved




MA685GL




MA686GL




MA687GL



MA687GL



MA686GL



MA685GL

Specification

Item	Description	Height	Size (mm)	Cap. (L)
MA685GL	Round Chafing Dish w/ S/S Insert, Glass Lid, 28cm	130	ø277 x 320	1.8
MA686GL	Oblong Chafing Dish (wide) w/ S/S Insert, Glass Lid	144	275 x 278	1.6
MA687GL	Oblong Chafing Dish (long) w/ S/S Insert, Glass Lid	144	225 x 326	1.6

* All Lilliput Chafing Dish with AA Axle
* Water Pan in 180 S/S

LILLIPUT

INDUCTION SOUP & SAUCE STATION



- Multi-purpose server for soup, congee, delicacies with gravy
- Unit includes glass lid with AA axle, water pan and adaptor:
Soup station: 1 x 4L soup tureen
Sauce station: 2 x 0.6L sauce pot
- 18/10 stainless steel
- High mirror finish
- Induction heated




MA688GLSS



AA Axle
Allows smooth opening
and closing for the lid



MA686GLSE




MA686GLSE

Specification

Item	Description	Height	Size (mm)	Cap. (L)
MA686GLSE	Oblong Induction Server (wide) w/Saucers, Glass Lid	144	275 x 278	2 x 0.6L
MA688GLSS	Round Induction Soup Station with Tureen, Glass Lid	230	ø273 x 313	4.0

* All Lilliput Chafing Dish with AA Axle
* Water Pan in 180 S/S




MA688GLSS

LILLIPUT

SOUP & SAUCE STATION W/PRO LEG STAND

- Multi-purpose server for soup, congee, delicacies with gravy
- Unit includes glass lid with AA axle, water pan, adaptor, Pro leg stand and 1 fuel holder:
Soup station: 1 x 4L soup tureen
Sauce station: 2 x 0.6L sauce pot
- 18/10 stainless steel
- High mirror finish
- Fuel heated



| Specification |

Item	Description	Height	Size (mm)	Cap. (L)
MA696GLPSE	Oblong Chafing Dish (wide) w/Saucers, Pro Leg, Glass Lid	267	280 x 278	2 x 0.6L
MA698GLP	Round Soup Station with Tureen, Pro Leg, Glass Lid	353	273 x 313	4.0L

* All Chafing Dish with AA Axle

| Accessories |



65-685-CE
Round Porcelain Insert
(S/S insert not included)
ø228 x 190 x 50mm, 0.8L



65-685
Round Insert
ø280 x 55mm, 1.8L



65-685-GR
Round Insert w/Grease Drainer
ø280 x 55mm, 1.8L



65-687
Oblong Insert
225 x 275 x 55mm, 1.6L



65-687-GR
Oblong Insert w/Grease Drainer
225 x 275 x 55mm, 1.6L



65-686-CE
Oblong Porcelain Insert
(S/S insert not included)
217 x 125 x 50mm, 0.7L



65-686
Oblong Insert
275 x 225 x 55mm, 1.6L



65-686-GR
Oblong Insert w/Grease Drainer
275 x 225 x 55mm, 1.6L



65-686-F
Sauce pot
165 x 105mm, 0.6L





65-686-2A
Adaptor for Sauce Station
275 x 225mm

LILLIPUT

MULTI-PURPOSE WARMER W/1-LIGHT & HEAT BASE

Design Patent No.: 0900836.2

- Sleek and elegantly designed with free portability
- 2 heating sources: heat lamp and heated base
- Easy “plug and play” installation
- Fit for 2 round or 2 oblong Lilliput servers
- Also fit for GN S/S and porcelain food pan
- 18/10 stainless steel
- High mirror finish
- Electrically heated
- CE & ETL



| Specification |

Item	Description	Power Consumption	Net Weight	A	B	C	D (mm)
794LP-22-X	1-light Lilliput Warmer	220-240V, 50/60Hz, 1100W	12.6Kg	590	368	427	750

• Heated Base Temperature Setting Range: 0- 120°C * Lamp bulb not included

18/10 Stainless Steel



HY-TIDE

INDUCTION SERVER / CHAFING DISH

Design Patent No. 200930265327.1

- Sleek and elegantly designed
- Durable and hygienic for daily use
- Work on all induction cooktop
- 18/10 stainless steel
- High mirror finish
- 3-way heating with matching stand
- Stainless and porcelain food insert available
- Installed with "AA" Axle for smooth operation




Specification

Item	Description	A	B	C	D (mm)
MA681SS	Induction Server, Stainless steel, with S/S insert, 45mm	445	445	89	150
MA682SS	Induction Server, Stainless steel, with S/S insert, 49mm	490	480	89	150

Optional item: Porcelain insert, Heating Element, Stand
* Water Pan in 180 S/S

Specification

Item	Description	A	B	C (mm)
65-681-ST & 65-681-ST1	HY-Tide Stand for MA681	408	325	200
65-682-ST & 65-682-ST1	HY-Tide Stand for MA682	445	355	200
65-681	HY-Tide food insert, 41cm S/S insert, 2.3L			
65-682	HY-Tide food insert, 46cm S/S insert, 3.0L			
65-682-2	HY-Tide food insert, 1/2 46cm S/S insert, 1.2L			
65-681-GR	HY-Tide food insert, 41cm S/S insert w/grease drain, 2.3L			
65-681-CE	HY-Tide food insert, 36cm porcelain insert, 1.5L			
65-682-CE	HY-Tide food insert, 40cm porcelain insert, 2.0L			
65-HP550	Heating Element 550 watts			
65-HP550ER	Heating Element 550 watts with regulator			
775-SH	S/S Insert Lifter / Buffet Tag (L50mm x W50mm x H55mm)			



HY-TIDE · SPECTRA

INDUCTION SERVER / CHAFING DISH

Design Patent No. 200930265327.1

- Sleek and elegently designed
- PVD coating on 18/10 stainless steel
- Durable and hygenic for daily use
- Work on all induction cooktop
- 18/10 stainless steel
- High mirror finish
- 3-way heating with matching stand
- Stainless and porcelain food insert available
- Installed with "AA" Axle for smooth operation

HYPERLUX®



Specification


Item	Description	A	B	C	D (mm)
MA681-BP	Induction Server, Black, with S/S insert, 45mm	445	445	89	150
MA682-BP	Induction Server, Black, with S/S insert, 49mm	490	480	89	150
MA681-GA	Induction Server, Garnet, with S/S insert, 45mm	445	445	89	150
MA682-GA	Induction Server, Garnet, with S/S insert, 49mm	490	480	89	150
MA681-SA	Induction Server, Sand, with S/S insert, 45mm	445	445	89	150
MA682-SA	Induction Server, Sand, with S/S insert, 49mm	490	480	89	150

Optional item: Porcelain Insert, Heating Element, Stand
* Water Pan in 180 S/S

WATER CHANNEL COLLECTION


The HYPERLUX PRO water channel chafing dishes are developed for the professional foodservice industry. With the sleek and attractive look, the chafing dishes stand out for their exquisite design and superb quality. Made from the finest 18/10 stainless steel and polish to high mirror finish, the chafing dishes are sturdily-built for day-to-day use. Like most quality products, the HYPERLUX PRO water channel chafing dishes are NSF listed and are manufactured in accordance with the foodservice standards.

WATER CHANNEL OBLONG CHAFING DISH



Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert

AA Axle
Allows smooth opening and closing for the lid



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
AA639	GN 1/1 Oblong Chafer, Full Roll Top, Straight leg, w S/S insert	700	515	460	8.8L
AA640-P	GN 1/1 Oblong Chafer, Full Roll Top, Pro leg, w S/S insert	700	525	470	8.8L

Optional Item: Porcelain Insert, Windguard, Heating Element




WATER CHANNEL

ROUND CHAFING DISH




Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert

AA Axle
Allows smooth opening and closing for the lid



AA631 / AA633



AA632-P / AA634-P

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
AA631	Round Chafer, Full Roll Top, w/ Ø33cm S/S Insert, Straight leg	450	480	405	3.8L
AA633	Round Chafer, Full Roll Top, w/ Ø38cm S/S Insert, Straight leg	500	530	455	5.6L
AA632-P	Round Chafer, Full Roll Top, w/ Ø33cm S/S Insert, Pro leg	450	480	430	3.8L
AA634-P	Round Chafer, Full Roll Top, w/ Ø38cm S/S Insert, Pro leg	500	530	475	5.6L

Optional Item: Porcelain Insert, Windguard, Heating Element

WATER CHANNEL

BUILT-IN CHAFING DISH




Water Return
Water channel on the cover conducts condensation from the lid into the water pan

AA Axle
Allows smooth opening and closing for the lid



AA631-BI / AA633-BI



AA639-BI

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
AA631-BI	Round Built-in Chafer, Full Roll Top, w/ Ø33cm S/S Insert	ø470	495	260	3.8L
AA633-BI	Round Built-in Chafer, Full Roll Top, w/ Ø38cm S/S Insert	ø520	500	300	5.6L
AA639-BI	Oblong GN1/1 Built-in Chafer, Full Roll Top, w/ S/S Insert	710	530	305	8.8L


Optional item: Porcelain Insert, Heating Element

BASIC

OBLONG CHAFING DISH (GN 1/1)

FEATURES

- 18/10 Stainless Steel, high mirror finish
- Full roll top opening at 90° & 180°
- Unit complete with roll top, food pan, water pan, stand and 2 fuel cups
- Insert outer dimension: 535 x 355mm
- Insert inner dimension: 508 x 304mm
- Available in straight leg or HY cast leg version
- 2-way heating: solid fuel or electric heating element



Specification

Item	Description	A	B	C (mm)	Cap. (L)
AA609	Oblong Chafer, Stainless Straight Leg	690	510	455	9.5L
AA610-P	Oblong Chafer, Stainless HY Cast Leg	690	525	480	9.5L

Optional Item: Porcelain Insert, Windguard, Heating Element

BASIC

OBLONG CHAFING DISH (GN 1/2)

FEATURES

- 18/10 Stainless Steel, high mirror finish
- Full roll top opening at 90° & 180°
- Unit complete with roll top, food pan, water pan, stand and fuel cup
- Insert outer dimension: 330 x 265mm
- Available in straight leg or HY cast leg version
- 2-way heating: solid fuel or electric heating element



Specification

Item	Description	A	B	C (mm)	Cap. (L)
AA607-2	Oblong Chafer, Stainless Straight Leg	465	440	395	4L
AA608-2P	Oblong Chafer, Stainless HY Cast Leg	465	445	415	4L


Optional Item: Porcelain Insert, Windguard, Heating Element

BASIC

ROUND CHAFING DISH

FEATURES

- 18/10 Stainless Steel, high mirror finish
- Full roll top opening at 90° & 180°
- Unit complete with roll top, food pan, water pan, stand and fuel cup
- Insert dimension: AA601-R, AA602-RP (ø33cm)
AA603-R, AA604-RP (ø38cm)
- Available in straight leg or HY cast leg version
- 2-way heating: solid fuel or electric heating element



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
AA601-R	Round Chafing Dish, w/ø33cm S/S Insert, Stainless Straight Leg	445	470	405	3.8L
AA603-R	Round Chafing Dish, w/ø38cm S/S Insert, Stainless Straight Leg	495	520	455	6.5L

Optional Item: Porcelain Insert, Windguard, Heating Element

| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
AA602-RP	Round Chafing Dish, w/ø33cm S/S Insert, Stainless HY Cast Leg	445	470	425	3.8L
AA604-RP	Round Chafing Dish, w/ø38cm S/S Insert, Stainless HY Cast Leg	495	520	480	6.5L

Optional Item: Porcelain Insert, Windguard, Heating Element

SOUP STATION COLLECTION

INDUCTION SOUP STATION

FEATURES

- Soup station with hinged glass lid, AA axle and T-handle
- Capacity: 4L and 6L
- Heatproof exterior
- 18/10 stainless steel, high mirror finish
- Water pan in 180 S/S material to be heated on all cooktops
- Designed for heavy duty day-to day use
- Ideal for soup, congee, delicacies with gravy



Specification

Item	Description	A	B	C (mm)	Cap. (L)
651GL-04	Induction Soup Station, Glass Lid w/Tureen	482	392	285	4L
651GL-06	Induction Soup Station, Glass Lid w/Tureen	482	392	285	6L

*Water Pan in 180 S/S



Water Return
Condensation from the lid drips back into the water pan through a collection well in the food insert

AA Axle
Allows smooth opening and closing for the lid



2 x 65-621-04L (Lid)

2 x 65-621-04T (Soup Tureen)

1 x 65-649-SA (Tureen Adaptor)

1 x MA649GLTX (Induction Server)

Model no.: **MA649GLTS4**

Set includes:
1 x MA649GLTX
2 x 65-621-04L
2 x 65-621-04T
1 x 65-649-SA


Induction Server
Lid for Soup Tureen
Soup Tureen
Soup Tureen Adaptor



SOUP STATION

FEATURES

- Soup station with hinged glass lid, AA axle and T-handle
- Capacity: 4L and 6L
- Heatproof exterior
- 18/10 stainless steel, high mirror finish
- 3-way heating: Induction, fuel, heating element (with fixture)
- Designed for heavy duty day-to day use
- Ideal for soup, congee, delicacies with gravy



| Specification |

Item	Description	A	B	C	D (mm)	Cap. (L)
651GLS-4	Soup Station, Glass Lid w/Tureen Straight Leg	392	482	285	400	4L
651GLS-6	Soup Station, Glass Lid w/Tureen Straight Leg	392	482	285	400	6L
651GLP-4	Soup Station, Glass Lid w/Tureen Pro Leg	392	482	285	393	4L
651GLP-6	Soup Station, Glass Lid w/Tureen Pro Leg	392	482	285	393	6L

Optional item: Heating Element w/fixture, Cooktop
*Water Pan in 180 S/S

SOUP STATION COLLECTION

INDUCTION SOUP STATION



FEATURES

- 18/10 Stainless Steel
- Sleek and elegantly designed
- Sturdily built for daily use
- Ideal for service in buffet, conferences, all indoor and outdoor activities
- To be used on induction cooktop
- Regular, attachable or AA Axle Lid available



| Specification |

Description	Item	A	B	C	D (mm)	Cap. (L)
Soup Server w/Tureen, Lid, Ring & Water Pan	M621-04SS	336	342	254	-	4L
	M621-06SS	336	342	284	-	6L
	M621-08SS	336	342	314	-	8L
	M621-10SS	336	387	306	-	10L
Soup Server w/Tureen, Attachable Lid, Ring & Water Pan	M621-04SSA	336	342	254	-	4L
	M621-06SSA	336	342	284	-	6L
	M621-08SSA	336	342	314	-	8L
	M621-10SSA	336	387	306	-	10L
Soup Server w/Tureen, Lid, Ring & Water Pan, AA Axle	MA621-04SS	336	342	336	254	4L
	MA621-06SS	336	342	336	284	6L
	MA621-08SS	336	342	336	314	8L
	MA621-10SS	336	387	365	306	10L


* Water Pan in 180 S/S Material

SOUP STATION COLLECTION

BASIC SOUP STATION

Pro Leg Design Patent No: 03354529.4

- FEATURES**
- 18/10 Stainless Steel
 - Sleek and elegantly designed
 - Fuel heat
 - Ideal for service in buffet, conferences, all indoor and outdoor activities
 - Regular, attachable or AA Axle Lid available



| Specification |

Description	Item	A	B	C	D (mm)	Cap. (L)
Soup Station, Straight leg w/Tureen, Lid, Ring & Water Pan, AA Axle	MA621-04	336	342	336	390	4L
	MA621-06	336	342	336	420	6L
	MA621-08	336	342	336	450	8L
	MA621-10	336	387	365	442	10L
Soup Station, Straight leg w/Tureen, Lid, Ring & Water Pan / *Attachable Lid	M621-04 / *M621-04A	336	342	390	-	4L
	M621-06 / *M621-06A	336	342	420	-	6L
	M621-08 / *M621-08A	336	342	450	-	8L
	M621-10 / *M621-10A	336	387	442	-	10L
Soup Station, Pro leg w/Tureen, Lid, Ring & Water Pan, AA Axle	MA-622-04P	336	342	336	395	4L
	MA-622-06P	336	342	336	425	6L
	MA-622-08P	336	342	336	455	8L
	MA-622-10P	336	387	365	447	10L
Soup Station, Pro leg w/Tureen, Lid, Ring & Water Pan / *Attachable Lid	MP-622-04P / *MP-622-4PA	336	342	395	-	4L
	MP-622-06P / *MP-622-6PA	336	342	425	-	6L
	MP-622-08P / *MP-622-8PA	336	342	455	-	8L
	MP-622-10P / *MP-622-1PA	336	387	447	-	10L

* Water Pan in 180 S/S Material




SOUP STATION COLLECTION

PRO SOUP STATION

Pro Leg Design Patent No: 03354529.4

- FEATURES**
- 18/10 Stainless Steel
 - Sleek and elegantly designed
 - Sturdily built for daily use
 - Either fuel heat or electric heating unit
 - Ideal for service in buffet, conferences, all indoor and outdoor activities
 - Regular, attachable or AA Axle Lid available



| Specification |

Description	Item	A	B	C	D (mm)	Cap. (L)
Soup Station, Straight leg w/Tureen, Lid, Ring & Water Pan, AA Axle	MA-621042	336	342	336	360	4L
	MA-621062	336	342	336	390	6L
	MA-621082	336	342	336	420	8L
	MA-621102	336	387	365	412	10L
Soup Station, Straight leg w/Tureen, Lid, Ring & Water Pan / *Attachable Lid	MP-621042 / *MP-62104A2	336	342	360	-	4L
	MP-621062 / *MP-62106A2	336	342	390	-	6L
	MP-621082 / *MP-62108A2	336	342	420	-	8L
	MP-621102 / *MP-62110A2	336	387	421	-	10L
Soup Station, Pro leg w/Tureen, Lid, Ring & Water Pan, AA Axle	MA-62204P2	336	342	336	355	4L
	MA-62206P2	336	342	336	385	6L
	MA-62208P2	336	342	336	415	8L
	MA-62210P2	336	387	365	407	10L
Soup Station, Pro leg w/Tureen, Attachable Lid, Ring & Water Pan / *Attachable Lid	MP-62204P2 / *MP-6224PA2	336	342	355	-	4L
	MP-62206P2 / *MP-6226PA2	336	342	385	-	6L
	MP-62208P2 / *MP-6228PA2	336	342	415	-	8L
	MP-62210P2 / *MP-6221PA2	336	387	407	-	10L

* Water Pan in 180 S/S Material

Optional item: Heating Element 550 watts



SOUP STATION COLLECTION

SOUP STATION SET & ACCESSORIES



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
609-SS06	Soup Station Set, Straight leg w/2 x 6.0L Tureen, Lid, Tureen Adaptor, GN1/1 Water Pan	650	455	460	2 x 6L
65-621-10L	Lid for 10L Tureen				
65-621-08T	Soup Tureen 8.0L				
65-621-10T	Soup Tureen 10.0L				
0-U330-LH	Lid Holder				
65-460	Soup Ladle Holder				
65-460-SL	Soup Ladle				
65-601-SA	Tureen Adaptor for 33cm Round Chafing Dish				
65-639-WG	Windguard for GN1/1 Chafing Dish				
65-600-HD	Fuel Holder				



SOUP STATION COLLECTION

SAUCE / CURRY STATION

Pro Leg Design Patent No: 03354529.4

FEATURES

- 18/10 Stainless Steel
- Attachable Lid
- Sleek and elegantly designed
- Ideal for service in buffet, conferences, all indoor and outdoor activities



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
650	Sauce Station, Straight leg	201	186	250	1.5L
650-P	Sauce Station, Pro leg	201	186	274	1.5L
650-P2	Sauce Station, Pro leg w/Fuel Holder	201	186	294	1.5L
650-CE	Sauce Station, Straight leg, Porcelain Insert	201	186	253	1.5L
650-CEP	Sauce Station, Pro leg, Porcelain Insert	201	186	277	1.5L

Accessories



| Specification |

Item	Description
65-650-F	S/S Insert
65-650-CE	Porcelain Insert
ZAKK-789	Sauce Ladle

THE PROFESSIONAL COLLECTION COFFEE URN

Pro Leg Design Patent No: 03354529.4

FEATURES

- 18/10 Stainless Steel
- Sleek and elegantly designed
- Sturdily built for daily use
- Either fuel burner or electric heating unit
- Available in Straight or Pro Leg
- Ideal for service in buffet, conferences, all indoor and outdoor activities





HP-617
HP-619
HP-623

• NSF listed
• All Stainless Faucet
• Lead Cadmium free

HP-618-P
HP-620-P
HP-623-P



65-HP080
Heating Element
80 watts, 220V



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
HP-623	Coffee Urn, Straight leg	390	302	570	20L
HP-617	Coffee Urn, Straight leg	318	240	500	12L
HP-619	Coffee Urn, Straight leg	277	195	435	6L
HP-623-P	Coffee Urn, Pro leg	420	302	550	20L
HP-618-P	Coffee Urn, Pro leg	350	240	505	12L
HP-620-P	Coffee Urn, Pro leg	298	195	453	6L

Optional Item: 80 Watts Heating Element available for HP-617, HP-619, HP-618-P and HP-620-P only
 **The 20L coffee urn can only be heated by solid fuel

THE PROFESSIONAL COLLECTION DOUBLE-WALL COFFEE URN

Pro Leg Design Patent No: 03354529.4

FEATURES

- 18/10 Stainless Steel
- Double-wall construction to retain beverage temperature
- Content level indicator installed
- Sleek and elegantly designed
- Available in Straight or Pro Leg
- Ideal for service in buffet, conferences, all indoor and outdoor activites




HP-614-P
HP-616-P



• NSF listed
• All Stainless Faucet
• Lead Cadmium free



HP-613
HP-615



* For better effect, pre-warm the urn with hot water for 15 min.

HP-614
Double Wall Urn (12L)
HP-618
Single Wall Urn (12L)

Heat loss rate of coffee urn (12L) - at room temperature 22 °C



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
HP-613	Double Wall Coffee Urn, Straight leg	413	302	615	12L
HP-615	Double Wall Coffee Urn, Straight leg	385	265	578	8L
HP-614-P	Double Wall Coffee Urn, Pro leg	447	302	610	12L
HP-616-P	Double Wall Coffee Urn, Pro leg	379	265	585	8L


THE PROFESSIONAL COLLECTION

JUICE DISPENSER

Pro Leg Design Patent No: 03354529.4

FEATURES

- 18/10 Stainless Steel
- Unit completes with top lid, tube insert for ice, Straight or Pro stand and transparent Polycarbonate (food-grade) container
- Easy to clean residue pulp by unscrewing the faucet cap
- Sleek and elegantly designed
- Ideal for service in buffet, conferences, all indoor and outdoor activities



| Specification |

Item	Description	A	B	C (mm)	Cap. (L)
HP-611-04	Juice Dispenser, Straight leg	270	171	537	4L
HP-611-07	Juice Dispenser, Straight leg	295	200	630	7L
HP-612-04P	Juice Dispenser, Pro leg	290	171	552	4L
HP-612-07P	Juice Dispenser, Pro leg	321	200	623	7L

THE PROFESSIONAL COLLECTION

JUICE DISPENSER OBLONG BASE

HYPERLUX®

FEATURES

- 18/10 Stainless Steel
- Unit completes with top lid, tube insert for ice, Oblong base and transparent Polycarbonate (food-grade) container
- Easy to clean residue pulp by unscrewing the faucet cap
- Sleek and elegantly designed
- Ideal for service in buffet, conferences, all indoor and outdoor activities



| Specification |


Item	Description	A	B	C	D (mm)	Cap. (L)
HP-625	Juice Dispenser, Oblong Base	350	200	635	225	7L
HP-626	Juice Dispenser, Oblong Base	318	171	562	204	4L
HP-626-2	Juice Dispenser, Oblong Base	318	171	562	425	2 x 4L

THE PROFESSIONAL COLLECTION CEREAL DISPENSER

- FEATURES**
- 18/10 Stainless Steel
 - The complete unit includes top lid, oblong base and a transparent Polycarbonate (food-grade) container
 - Equipped with a portion control mechanism
 - Easy to clean
 - Sleek and elegantly designed
 - Ideal for service at buffet, conferences, and all indoor and outdoor events



Flow adjuster to allow dispensing various types of cereals



Specification

Item	Description	A	B	C	D (mm)	Cap. (L)
HP-630-04R	Cereal Dispenser, Oblong Base	386	204	635	171	4L
HP-630-07R	Cereal Dispenser, Oblong Base	437	224	703	200	7L
HP-630-2	Cereal Dispenser, Oblong Base	425	385	635	171	2 x 4L

THE PROFESSIONAL COLLECTION MILK DISPENSER


- Pro Leg Design Patent No: 03354529.4**
- FEATURES**
- 18/10 Stainless Steel
 - Unit complete with top lid, tube insert for ice, container & stand
 - Sleek and elegantly designed
 - Ideal for service in buffet, conferences, all indoor and outdoor activities



• NSF listed
• All Stainless Faucet
• Lead Cadmium free



Ice Tube



Specification

Item	Description	A	B	C	D (mm)	Cap. (L)
HP-628-03	Milk Dispenser, w/ Oblong Base & 2 Handles	319	205	432	ø153	3L
HP-628-05	Milk Dispenser, w/ Oblong Base & 2 Handles	349	225	468	ø176	5L
HP-628-03S	Milk Dispenser, w/ 2 Handles, Straight leg	245	192	407	ø153	3L
HP-628-05S	Milk Dispenser, w/ 2 Handles, Straight leg	370	215	445	ø176	5L
HP-628-03P	Milk Dispenser, w/ 2 Handles, Pro leg	275	192	447	ø153	3L
HP-628-05P	Milk Dispenser, w/ 2 Handles, Pro leg	300	215	460	ø176	5L

THE PROFESSIONAL COLLECTION


GRANITE BASE JUICE DISPENSER

FEATURES

- 18/10 Stainless Steel
- Unit completes with top lid, tube insert for ice, granite base and transparent Polycarbonate (food-grade) container
- Easy to clean residue pulp by unscrewing the faucet cap
- Sleek and elegantly designed
- Ideal for service in buffet, conferences, all indoor and outdoor activities



BG-626-3




BG-626-3




BG-626-2

BG-625-7L
BG-626 4L



BG-625
BG-626



BG-626-2

| Specification |

Item	Description	A	B	C	D (mm)	Cap. (L)
BG-626-3	Juice Dispenser, Granite Base	700	360	171	570	3 x 4L

| Specification |

Item	Description	A	B	C	D (mm)	Cap. (L)
BG-625	Juice Dispenser, Granite Base	350	225	200	640	7L
BG-626	Juice Dispenser, Granite Base	320	205	171	570	4L
BG-626-2	Juice Dispenser, Granite Base	475	315	171	570	2 x 4L


THE PROFESSIONAL COLLECTION

GRANITE BASE CEREAL DISPENSER

- FEATURES**
- 18/10 Stainless Steel
 - Unit completes with top lid, granite base and transparent Polycarbonate (food-grade) container
 - Easy to clean
 - Equiped with portion control mechanism
 - Sleek and elegantly designed
 - Ideal for service in buffet, conferences, all indoor and outdoor activities



Flow adjuster to allow dispensing various types of cereals



| Specification |

Item	Description	A	B	C	D (mm)	Cap. (L)
BG-630-04R	Cereal Dispenser, Granite Base	386	204	635	171	4L
BG-630-07R	Cereal Dispenser, Granite Base	437	224	705	200	7L
BG-630-2	Cereal Dispenser, Granite Base	400	475	635	171	2 x 4L


THE PROFESSIONAL COLLECTION

GRANITE BASE MILK DISPENSER

- FEATURES**
- 18/10 Stainless Steel
 - Unit complete with top lid, tube insert for ice, container & granite base
 - Sleek and elegantly designed
 - Ideal for service in buffet, conferences, all indoor and outdoor activities



• NSF listed
• All Stainless Faucet
• Lead Cadmium free



| Specification |

Item	Description	A	B	C	D (mm)	Cap. (L)
BG-628-03	Milk Dispenser, Granite Base w/ 2 Handles	320	205	430	ø153	3L
BG-628-05	Milk Dispenser, Granite Base w/ 2 Handles	350	225	470	ø176	5L
BG-628-032	Milk Dispenser, Granite Base w/ 2 Handles x 2	315	475	430	ø153	2 x 3L

BABY WAVE COLLECTION

INSERT & ACCESSORIES

FOR OBLONG INDCTION SERVER & CHAFING DISH

| Insert for 647 / 656 |



65-647, S/S Insert
for 647, 32 x 32 x 7cm, 3.8L



65-647-CE, Porcelain Insert
27 x 23.5 x 6cm, 2.0L



65-647-EH, S/S Egg Holder
32 x 32 cm

| Insert for 648 / 657 |



65-648, S/S Insert
40 x 40 x 7cm, 5.6L



65-648-CE, Porcelain Insert
34.5 x 30 x 6cm, 3.0L



65-648-2A, Adaptor
40 x 40cm



65-648-2, S/S Insert Fit for
65-648-2A,
32.5 x 17.5 x 6.5cm, 2.0L



65-648-2GR,
Grease Drain Insert Fit for
65-648-2A,
32.5 x 17.5 x 6.5cm, 2.0L

| Insert for 649 / 658 |



65-649, S/S Insert
55 x 38 x 7cm, 9L



65-649-2, 1/2 S/S Insert
27.5 x 38 x 7cm, 4.5L



65-649-CE, Porcelain Insert
50 x 29 x 6cm, 4.2L



65-649-2CE, Porcelain Insert
25.5 x 29 x 6cm, 2.5L


COOKTOP / HEATING ELEMENT



65-IC200BI
2000 watts, V230.



65-IC100BI
1000 watts, V220-240



65-HEFX
Fixture for Heating Element



Fixture with Heating Element placed in the chafers stand



65-HP800ER / 65-HP800
Heating Element 800 watts with or
without regulator



65-HP550ER / 65-HP550
Heating Element 550 watts with or
without regulator

FOR ROUND INDCTION SERVER & CHAFING DISH

| Insert for 643 / 652 |



65-643, S/S Insert
Ø34 x 6cm, 2.8L



65-643-CE, Porcelain Insert
Ø34 x 6cm, 2.0L



65-643-2CY, Divided Insert
Ø34 x 6cm, 1.7L



65-643-EH, S/S Egg Holder
Ø34cm



65-643-2, 1/2 S/S Insert
Ø34 x 17 x 7cm, 1.2L

| Insert for 641 / 644 / 653 |



65-644, S/S Insert
Ø40 x 6cm, 3.6L



65-644-CE, Porcelain Insert
Ø40 x 6cm, 2.7L



65-644-2CY, Divided Insert
Ø40 x 6cm, 2.2L



65-644-2, 1/2 S/S Insert
Ø40 x 7cm, 1.8L



65-644-2GR, 1/2 S/S Grease Drain
Ø40 x 20 x 7cm

| Insert for 645 / 654 |




65-645, S/S Insert
Ø50 x 7cm, 9.0L



65-645-2, 1/2 S/S Insert
Ø50 x 25 x 7cm, 4.5L

ACCESSORIES



65-657-WG
Windguard



65-658 -WG
Windguard



65-775-SH
Shell Insert Lifer / Buffet Tag



0-U408
Insert Lifer, 15x2cm

WATER CHANNEL & BASIC COLLECTION

INSERT & ACCESSORIES

FOR OBLONG CHAFING DISH ●

| Insert for 607-2 / 608 / 609 / 610 / 639 / 640 |



65-609-F, 1/1 S/S Food Pan
53 x 33 x 6.5cm, 9.5L



65-609-2F, 1/2 S/S Food Pan
53 x 16 x 6.5cm, 4.0L



65-609-3F, 1/3 S/S Food Pan
17.5 x 33 x 6.5cm, 3.0L



65-607-4F, 1/4 S/S Food Pan
26.5 x 16.5 x 6.5cm, 1.8L




65-639-F, 1/1 S/S Food Pan
53 x 33 x 10cm, 15.2L




65-609-CE, 1/1 Porcelain Insert,
52.5 x 32.5 x 7cm, 8.9L



65-607-2F, 1/2 S/S Food Pan,
26.5 x 33 x 6.5cm, 4.0L




65-609-2CE, 1/2 Porcelain Insert,
26.5 x 33 x 7cm, 2.4L



65-609-3CE, 1/3 Porcelain Insert,
17.5 x 32.5 x 7cm, 1.5L

FOR ROUND CHAFING DISH ●

| Insert for 601-R / 602-R / 631 / 632 |



65-601-F, S/S food pan
ø33 x 6cm, 3.8L




65-601-CE, Porcelain Insert
ø33 x 7cm, 3.0L



65-601-2CY, Divided Insert
ø33 x 7cm, 2.2L

| Insert for 603-R / 604-R / 633 / 634 |



65-603-F, S/S food pan
ø38 x 6.5cm, 6.5L




65-633-F, S/S food pan
ø38 x 10cm, 8.9L



65-603-CE, Porcelain Insert
ø38 x 7cm, 5.8L



65-603-2CY, Divided Insert
ø38 x 7cm, 4.6L



65-603-2F, 1/2 S/S food pan
ø38 x 19 x 6.5cm, 2.4L



65-603-2GR, 1/2 S/S Grease Drain
1/2 S/S, ø38 x 19 x 7cm, 2.4L

HEATING ELEMENT & ACCESSORIES ●●



65-609-WE
1/1 S/S water Pan w/ bolts



65-HP800
Heating Element 800 watts



65-HP800ER
Heating Element w/ regulator



65-600-HD
Fuel Holder



65-639-WG
Windguard for GN1/1 Chafing Dish

HEATING ELEMENT & ACCESSORIES ●●



65-601-WE / 65-603-WE
330 / 380mm water pan w/bolts



65-HP550
Heating Element 550 watts



65-HP550ER
Heating Element w/ regulator



65-600-HD
Fuel Holder



65-633-WG
Windguard for round chafer